



KZ1192

Specific rear rack for MONOKEY® or MONOLOCK® top-case

to be combined with the MONOKEY® KM5, KM7, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case

KR1192

Specific rear rack for MONOLOCK® or MONOKEY® top-case

to be combined with the MONOKEY® KM5, KM7, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case / it can only be mounted on the original rack, offered as an option by the manufacturer / maximum load allowed 6 kg





KS377

Metal rack specific for the original top-case with aluminium cover, offered as an option by the manufacturer



KLO1192MK

Specific pannier holder KL ONE-FIT for MONOKEY® side-cases configuration

18 mm diameter / to be combined with 07RKITK for the transformation into Rapid Release pannier holder / it can be mounted without the specific rear rack KZ1192 using the 1192KITK



KLO1192CAM

Specific pannier holder KL ONE-FIT for MONOKEY® CAM-SIDE configuration

18 mm diameter / to be combined with 07RKITK for the transformation into Rapid Release pannier holder / it can be mounted without the specific rear rack KZ1192 using the 1192KITK



KTL1192KIT

Specific kit to install the KS250 Tool Box on KLO1192MK or KLO1192CAM

to be combined with KS250 and KLO1192MK, KLO1192CAM / it can be mounted on either the right-hand side or left-hand side of the motorcycle



07RKITK

RAPID RELEASE kit that allows you to transform the side case holder into a quick-release frame

to be combined with KLO1192MK, KLO1192CAM or KLX1192



1192KITK

Specific kit to install the KLO1192MK, KLO1192CAM or KLX1192 without the specific rear rack KZ1192



KD1217ST

Specific screen, transparent, 52,5 x 37 cm (H x W)

to be mounted instead of the original screen / 12,5 cm higher than the original



KD1217S

Specific screen, smoked 52,5 x 37 cm (H x W)

to be mounted instead of the original screen / 12,5 cm higher than the original

**KD1220S****Specific screen, smoked, 47 x 37 cm (H x W)**

7 cm higher than the specific screen original as tall as extended specific screen

**KD1220ST****Specific screen, transparent, 56 x 38,5 cm (H x W)**

to be mounted instead of the original screen / 16 cm higher than the original screen / 9 cm higher than the extended original screen

**KN1192****Specific engine guard, black**

25 mm diameter steel tube / we recommend fitting by a qualified mechanic

**KNH1192****Specific engine guard, black**

25 mm diameter steel tube / we recommend fitting by a qualified mechanic / it protects the upper part of the radiators

KPR1146 **Stainless steel specific radiator guard black painted**



RM1146KITK **Specific kit to install the spray guard KRM01, KRM02**

LS1217K **Specific fitting kit to mount spotlights where specific engine guard is not present**



KHP1192B **Specific, technopolymer, black hand protectors**



ES1192K

Specific support in aluminium and stainless steel to widen the surface support area of the original side stand



KFB1217

Fairing upper bracket to be mounted behind the windshield to install KS902A, KS920M, KS920L, KS95KIT and GPS-Smartphone holder

For KS902A, KS920M, KS920L, KS952B, KS953B, KS954B, KS955B, KS956B, KS957B, KS958B, KS95KIT / diameters 12 mm

