



### **KR1171**

#### **Specific rear rack for MONOLOCK® or MONOKEY® top-case**

maximum load allowed 6 kg / to be combined with the KM5, KM7, KM8A, KM8B, KM9A, KM9B MONOKEY® plate, or with the KM5M or KM6M MONOLOCK® plate, or with the plate already included in the MONOLOCK® top-case / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the top-case



### **KLO1171MK**

#### **Specific pannier holder KL ONE-FIT for MONOKEY® side-cases configuration**

18 mm diameter / the case holder does not interfere with the rear indicators, but the indicators must be moved using the supports included in the package in order to guarantee the 80° of illumination required by the rules of the road / it can be mounted without the specific rear rack 1121KZ or KR1171 using the 1121KITK / not compatible with AV07



### **KLO1171CAM**

**Specific pannier holder KL ONE-FIT for MONOKEY® CAM-SIDE configuration**

18 mm diameter / the case holder does not interfere with the rear indicators, but the indicators must be moved using the supports included in the package in order to guarantee the 80° of illumination required by the rules of the road / it can be mounted without the specific rear rack 1121KZ or KR1171 using the 1121KITK



### **KLX1171**

**Specific pannier holder for K33 MONOKEY® SIDE cases**

it can be mounted without the specific rear rack 1121KZ or KR1171 using the 1121KITK / the case holder does not interfere with the rear indicators, but the indicators must be moved using the supports included in the package in order to guarantee the 80° of illumination required by the rules of the road

### **1121KITK**

**Specific kit to install the KLX1171 without the specific rear rack KZ1121**



### **BF44K**

**Specific flange for fitting the tank bags with TANKLOCK system**

only compatible with flat-bottomed bags / not compatible with curved bottom bags





### **KD1203ST**

**Specific screen, transparent 54 x 45 cm (H x W)**

to be mounted instead of the original screen / 20 cm higher than the original



### **KD1203S**

**Specific screen, smoked 45 x 39 cm (H x W)**

to be mounted instead of the original screen / 13 cm higher than the original



### **KAF1203B**

**Specific sliding wind-screen transparent, Airflow. Maximum height 53,5 cm (12 cm of extension) width 45 cm**

to be mounted instead of the original screen



### **KN1203**

**Specific engine guard, black**

25 mm diameter steel tube / we recommend fitting by a qualified mechanic



### **KNH1203**

**Specific engine guard, black**

25 mm diameter steel tube / we recommend fitting by a qualified mechanic / it protects the upper part of the radiators / it must be mounted with KN1203



### **RM1171KITK**

**Specific kit to install the spray guard KRM02**



### **KMG1203**

**Specific ABS mudguard, black colour**

### **LS1203K**

**Specific fitting kit to mount spotlights where specific engine guard is not present**





**KHP1192B**      Specific, technopolymer, black hand protectors

**ES1203K**      Specific support in aluminium and stainless steel to widen the surface support area of the original side stand

