



KRA5127

Specific rear rack in aluminium for MONOKEY® top-case

maximum load allowed 6kg / it does not allow the assembly of the stop light kit or the remote control device on the top-case / it can only be mounted on the original rack in aluminium $\frac{1}{2}$



KR5129

to be combined with the MONOKEY® KM5, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case / maximum load allowed 6 kg / it can only be mounted to the original plastic rack



KLR5127

Specific rapid release side-case holder for MONOKEY® or RETRO FIT cases

KL5127CAM

Specific pannier holder for MONOKEY® CAM-SIDE

18 mm diameter



BF11K

Specific flange for fitting the tank bags with TANKLOCK system





Specific screen, smoked 44 x 47 cm (H x W)

to be mounted instead of the original screen / 17 cm higher than the original





KD5127ST

Specific screen, transparent 54,5 x 49 cm (H x W)

to be mounted instead of the original screen / 27 cm higher than the original $\,$

KAF5127B

Specific sliding wind-screen transparent, Airflow. Maximum height 59 cm (12 cm of extension), width 49 cm

to be mounted instead of the original screen



KN5129

Specific engine guard, black

25 mm diameter steel tube / we recommend fitting by a qualified mechanic



KN5129OX

Specific engine guard, stainless steel

 $25\ \mathrm{mm}$ diameter steel tube / we recommend fitting by a qualified mechanic



RP5145K Oil carter protector in brushed and anodised aluminium





LS5127K

Specific fitting kit to mount spotlights where specific engine guard is not present