

KR1162

Specific rear rack for MONOLOCK® or MONOKEY® top-case



to be combined with the MONOKEY® KM5, KM7, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case

KLR1161



it can be mounted without the specific rear rack KR1162 using the $1161\mbox{KITK}$

KL1161CAM

Specific pannier holder for MONOKEY® CAM-SIDE

18 mm diameter



1161KITK

Specific kit to install the KLR1161 without the specific rear rack KR1161



KTL1161KIT

Specific kit to install the KS250 Tool Box on KLR1161

to be combined with KS250 and KLR1161 / needs to be mounted on the left-hand side of the motorcycle $\,$



KD1144S

Specific screen, smoked 47,5 x 35 cm (H x W)

 $2\ \mbox{cm}$ higher than the original / to be mounted instead of the original screen





KD1144ST

Specific screen, transparent 60 x 35 cm (H x W)

 $14,\!5$ cm higher than the original / to be mounted instead of the original screen



KD1144BO

Specific low and sports screen matt black 40 x 31 cm (H x W)

to be mounted instead of the original screen



Specific flange for fitting the tank bags with TANKLOCK system

only compatible with DR04 Tanklock



KN1144

Specific engine guard, black

25 mm diameter steel tube / we recommend fitting by a qualified mechanic



KNH1144

Specific engine guard, black



it must be mounted with KN1144, KN1144OX, KN1162, KN1162OX / 25 mm diameter steel tube / we recommend fitting by a qualified mechanic / it protects the upper part of the radiators

KN1162

Specific engine guard, black

only for CRF1000L Africa Twin DCT / 25 mm diameter steel tube / we recommend fitting by a qualified mechanic



RP1162K

Oil carter protector in brushed and anodised aluminium

thickness of 5 mm



KHP1144


Specific hands protector in ABS

only compatible with the version produced with original hands protector / to be mounted instead of the original hands protector

ES1161K

Specific support in aluminium and stainless steel to widen the surface support area of the original side stand






03SKITK

Specific kit to mounting the KS900A Smart Bar



Specific kit to mount the Smart Mount RC KS904B



needs to be mounted on the brake fluid reservoir cover right-hand side / also compatible with versions Africa Twin DCT (18 > 19), Africa Twin Travel Edition (17 > 18)