



#### **KZ1192**

## Specific rear rack for MONOKEY® or MONOLOCK® top-case

to be combined with the MONOKEY® KM5, KM7, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case



### 



to be combined with the MONOKEY® KM5, KM7, KM8A, KM8B, KM9A or KM9B plate, or with the MONOLOCK® KM5M or KM6M plate / if combined with KM8A, KM8B, KM9A, KM9B it does not allow the assembly of the stop light kit or the remote control device on the case / it can only be mounted on the original rack, offered as an option by the manufacturer / maximum load allowed 6 kg



**KS377** 

Metal rack specific for the original top-case with aluminium cover, offered as an option by the manufacturer



# Specific pannier holder KL ONE-FIT for MONOKEY® side-cases configuration



18 mm diameter / to be combined with 07RKITK for the transformation into Rapid Release pannier holder / it can be mounted without the specific rear rack KZ1192 using the 1192KITK

#### KLO1192CAM

# Specific pannier holder KL ONE-FIT for MONOKEY® CAM-SIDE configuration



18 mm diameter / to be combined with 07RKITK for the transformation into Rapid Release pannier holder / it can be mounted without the specific rear rack KZ1192 using the 1192KITK

### KTL1192KIT

# Specific kit to install the KS250 Tool Box on KLO1192MK or KLO1192CAM



to be combined with KS250 and KLO1192MK, KLO1192CAM  $\!\!/$  it can can be mounted on either the right-hand side or left-hand side of the motorcycle

#### **07RKITK**

# RAPID RELEASE kit that allows you to transform the side case holder into a quick-release frame

to be combined with KLO1192MK, KLO1192CAM or KLX1192



#### 1192KITK

Specific kit to install the KLO1192MK, KLO1192CAM or KLX1192 without the specific rear rack KZ1192



### **KD1217ST**

### Specific screen, transparent, 52,5 x 37 cm (H x W)

to be mounted instead of the original screen / 12,5 cm higher than the original



## **KD1217S**

### Specific screen, smoked 52,5 x 37 cm (H x W)

to be mounted instead of the original screen / 12,5 cm higher than the original





## KN1192 Specific engine guard, black

 $25\ \mathrm{mm}$  diameter steel tube / we recommend fitting by a qualified mechanic



## KNH1192 Specific engine guard, black

25~mm diameter steel tube / we recommend fitting by a qualified mechanic / it protects the upper part of the radiators

KPR1146 Stainless steel specific radiator guard black painted





RM1146KITK Specific kit to install the spray guard KRM01, KRM02

LS1217K

Specific fitting kit to mount spotlights where specific engine guard is not present



KHP1192B

Specific, technopolymer, black hand protectors



ES1192K

Specific support in aluminium and stainless steel to widen the surface support area of the original side stand



**KFB1217** 

Fairing upper bracket to be mounted behind the windshield to install KS902A, KS920M, KS920L, KS95KIT and GPS-Smartphone holder



For KS902A, KS920M, KS920L, KS952B, KS953B, KS954B, KS955B, KS956B, KS957B, KS958B, KS95KIT