



KRA5112

Specific rear rack in anodised aluminium for MONOKEY® top-case

maximum load allowed 6kg / it does not allow the assembly of the stop light kit or the remote control device on the case

KL5112B

Specific polished aluminium adapter for use with a pair of side-cases MONOKEY® on the original pannier holder, offered as an option by the manufacturer

it can only be mounted on the original pannier holder, offered as an option by the manufacturer



KL5108CAM Specific pannier holder for MONOKEY® CAM-SIDE

18 mm diameter / it is necessary to move the indicators from their original position



KTL5108PLRKIT Specific kit to install the KS250 Tool Box on KLR5108

to be combined with KS250 and KLR5108 / you have to mount it on the left side of the motorcycle



KLR5108 Specific rapid release side-case holder for MONOKEY® cases

not compatible with the side-cases in aluminium KVE37 K-venture / not compatible with the side-cases KMS36 K-Mission / you must move the indicators from their original position

BF17K Specific flange for fitting the tank bags with TANKLOCK system



5124DTK **Specific screen, transparent 53,5 x 45 cm (H x W)**

to be combined with the specific D5131KITK fitting kit / 15 cm higher than the original R1200GS-R1250GS and 10 cm higher than the original R1200GS Adventure-R1250GS Adventure



5124DK **Specific screen, smoked 43,5 x 43 cm (H x W)**

to be combined with the specific D5131KITK fitting kit / 1.96 inches higher than the original R1200GS-R1250GS and size equal to that of the bike R1200GS Adventure-R1250GS Adventure



D5131KITK **Strengthening kit for the 5124DTK, 5124DK screen**



KD5124B **Specific low and sports screen smoked 35 x 45 cm (H x W)**

to be mounted instead of the original screen



EH5108K Plexiglass extension for original hands protector, smoked



ES5112K Specific support in aluminium and stainless steel to widen the surface support area of the original side stand

it is not compatible with the version of the motorcycle equipped with lowered suspension

